


Karawia Pack

FLEXIBLE PACKAGING MANUFACTURER · PORT SAID, EGYPT

# PE films that perform.

Heavy-duty FFS film and sacks, liners, stretch and shrink hood film, stretch wrap, lamination, technical and agricultural films. Blown, printed, converted and tested in one plant since 2010, exported since 2017.

ISO 9001 | ISO 14001 | ISO 45001 | FSSC 22000 | OK Recycled | EcoVadis Committed

ABOUT KARAWIA PACK

# Flexible packaging, made in Port Said since 2010

The Karawia family founded Karawia Pack in Port Said in 2010. Today our 12,800 m² plant in the city's South Industrial Zone runs European-built blown-film lines with about 10,000 t of annual capacity, making films and bags for industrial packaging, technical applications and agriculture. We have exported since 2017.

Our team plans, produces, tests and ships every order from this one site, so we control quality from resin to finished roll.

| 2010 | 10,000 t | 100+ | 2017 | 12,800 |
|---|---|---|---|---|
| Founded | Annual capacity | Customers | Exporting since | m² plant |

> "We did not build our certifications for appearances. We built them because a manufacturer without verifiable standards is only ever a commodity supplier, and our customers deserve more than that."
>
> **Sherif Amer, CEO, Karawia Pack**

### Our mission

We manufacture blown-film flexible packaging, from reliable industrial and agricultural films to high-performance films, that our customers depend on: delivered on time, to specification, every run. We build toward a future where the films we make contain the films we recover.

### Our vision

To be a flexible packaging company that customers around the world trust, recognized internationally for sustainable specialty films and certified recycled content.




## OUR STORY

| | |
|---|---|
| **2010** | The Karawia family founds Karawia Pack in Port Said. |
| **2013** | We install our first European-built blown-film line, for 3-layer film, with 4-color flexo printing and bag making. |
| **2014** | Production starts, and industrial packaging becomes our core range. |
| **2016** | We add 6-color inline flexo printing and expand into lamination and agricultural films. |
| **2017** | We begin exporting to Europe and Africa. |
| **2020** | Inline recycling of production edge trim starts. |
| **2025** | 5-layer co-extrusion comes on stream, for films up to 5.6 m wide. |

## WHAT WE STAND FOR

**Honesty**
We say what we can deliver, and deliver what we say.

**Accountability**
Every roll can be traced to the people and batch that made it.

**Respect**
For our customers, our people and the places we work.

**Teamwork**
Planning, production, quality and sales working as one.

OUR PLANT

# What we can make for you

Blown-film extrusion, printing, conversion and testing under one roof, so we control quality from resin to finished roll.

### Blown-film extrusion

European-built lines with 3- and 5-layer co-extrusion. Films from 15 to 200 µm; tubes up to 2.6 m flat and sheets up to 5.6 m wide.

### Flexo printing

Inline flexo printing in up to 6 colors, and stack flexo printing in up to 4 colors. Print width up to 80 cm.

### Conversion


FFS film, sack and liner making, gusseting, embossing, perforation and slitting to your width.

### Recycling

Production edge trim is recycled inline and fed back into the process.

### Quality lab


Mechanical and optical testing on every production batch.



Blown-film extrusion



Bag making




Quality lab



Finished rolls



Blown-film line



Tubular film on rolls



Winder



White film

SUSTAINABILITY

# Less plastic per pallet, and films that can be recycled

### Single-material PE

Most of our films are polyethylene only, with no mixed materials, so they fit existing PE recycling streams where collection exists.

### Thinner films, same job

We help you downgauge: when a thinner film carries the same load, you buy and dispose of less plastic.

### Certified recycled content

PE films with 30%, 50%, 90% or 100% post-consumer recycled content, and stretch film with 90% or 100%, certified OK Recycled by TÜV Austria to EN 15343.

### In our plant

Production edge trim has been recycled inline since 2020. Our environmental management is certified to ISO 14001, and EcoVadis rated us Committed in January 2026.

**Ready for PPWR**

Our OK Recycled certification already covers films with up to 100% post-consumer recycled content. If you sell into the EU, we supply declarations of conformity and work with you on recycled content and downgauging.

EXPORT

# From Port Said to your port

All shipped from our plant in Port Said, at the Mediterranean entrance to the Suez Canal.

### At the Suez Canal


Port Said sits at the Mediterranean entrance to the Suez Canal, on the main routes between Europe, Asia and Africa.

### Duty-free into the EU

Film of Egyptian origin enters the EU duty-free with an EUR.1 certificate under the EU–Egypt Association Agreement.

### Exporting since 2017

We ship to customers across Europe, the USA, the Middle East and Africa.



Countries we have shipped to · Port Said, Egypt

Spain · United Kingdom · Belgium · Netherlands · Germany · Norway · Czech Republic · Croatia · Romania · Türkiye · Jordan · Saudi Arabia · Morocco · Mozambique · United States

# Industrial packaging

Film, sacks, liners, hoods and wraps for heavy products, plus films for building sites and buried pipes.






### FFS films, sacks & liners

Heavy-duty FFS film · Heavy-duty sacks · Compost & soil sacks · PE liners for woven sacks · FIBC liners · Drum liners

### Pallet, transport & product covers

Blown stretch film · Stretch hood film · Shrink hood film · Pallet covers & top sheets · Collation shrink film · Mattress cover film

### Construction & infrastructure

Construction film · Pipe sleeves · Warning & barrier tape

## SECTORS WE SUPPLY WITH THESE FILMS

### Polymers & petrochemicals

Polymer pellets leave the plant in 25 kg FFS bags on stretch-hooded pallets. We supply both, sized for high-speed lines.

### Chemicals

FFS film and heavy-duty sacks for chemical powders, including UN-rated sacks for dangerous goods, and liners for big bags.

### Fertilizers

Fertilizer sacks must survive stacking, sun and handling. Heavy-duty FFS film and sacks, PE liners for woven sacks and big bags, and hoods or stretch wrap to protect the pallet.

### Building materials

Sacks for powdered building materials, bonding film for aluminum composite panels, construction film for building sites, pipe sleeves and warning tape for buried pipes and cables, barrier tape for sites, and protection film for panels and sheet.

### Salt, sugar, flour and food

Sacks and liners for salt, sugar and flour, printed film for retail packs, collation shrink film for bottled and canned goods, and lamination film for food packs.

### Beverages & bottled water


Collation shrink film to bundle bottles and cans into multipacks, stretch wrap to secure the pallet, and top sheets to keep it clean.

### Agriculture & horticulture

Mulch, low tunnel and grapevine cover film, silage stretch film, banana bunch covers, and printed sacks for compost and potting soil.

INDUSTRIAL PACKAGING

# FFS films, sacks & liners



## Heavy-duty FFS film

KP-TDS-001

90–200 µm · 30–65 cm · Filling

Gusseted tubular film for form-fill-seal lines.

| Thickness | Tube width | Side gusset |
|---|---|---|
| **90–200 µm** | **30–65 cm** | **To order** |

Polymers · Fertilizers · Compounding additives · Salt, sugar and flour



## Heavy-duty open-mouth sacks

KP-TDS-002

90–200 µm · 30–65 cm · Filling

Co-extruded PE sacks for 25 to 50 kg, base-sealed and ready to fill.

| Thickness | Bag width | Bag length |
|---|---|---|
| **90–200 µm** | **30–65 cm** | **To order** |

Polymers · Fertilizers · Compounding additives · Salt, sugar and flour



## Heavy-duty sacks for compost and soil

KP-TDS-022

90–150 µm · 30–65 cm · Compost and growing media

Printed open-mouth PE sacks for compost, potting soil and growing media.

| Thickness | Bag width | Bag length |
|---|---|---|
| **90–150 µm** | **30–65 cm** | **To your fill volume** |

Compost · Potting soil · Peat and growing media · Bark and mulch



## PE liners for woven sacks

KP-TDS-003

30–100 µm · 40–110 cm flat · Filling

The PE liner that goes inside woven PP sacks of fertilizer, sugar, flour and seed.

| Thickness | Flat width | Length |
|---|---|---|
| **30–100 µm** | **40–110 cm** | **To your sack** |

Fertilizers · Sugar · Flour · Seeds



## FIBC liners for bulk bags

KP-TDS-004

60–150 µm · up to 260 cm flat · Filling

PE liners that seal bulk bags against sifting, moisture and contamination.

| Thickness | Lay-flat width | Supply |
|---|---|---|
| **60–150 µm** | **up to 260 cm** | **Tubing on rolls, or cut and sealed liners** |

Food ingredients: sugar, flour, starch · Chemicals and fine powders · Polymers · Fertilizers



## PE drum liners

KP-TDS-027

45–70 µm · for 200 L drums · Drum packing

Loose PE liners for 200 L drums of juice concentrate, pulp and other liquids. Food grade, no barrier layer, sold by the piece.

| Thickness | Flat width | Length |
|---|---|---|
| **45–70 µm** | **960 mm** | **1,730 for 200 L drums; to order mm** |

Juice concentrate · Fruit pulp and purée · Syrups and sweeteners · Non-food liquids

INDUSTRIAL PACKAGING

# Pallet, transport & product covers



## Blown stretch film for hand and machine wrapping

KP-TDS-008 / KP-TDS-025

15–25 µm · up to 150 cm · Palletizing

Blown, not cast: stretch film with higher holding force and puncture resistance, for hand and machine pallet wrapping.

| Thickness | Width | Color |
|---|---|---|
| **15–25 µm** | **up to 150 cm** | **To order** |

Polymers · Fertilizers · Compounding additives · Household products



## Stretch hood film

KP-TDS-005

100–160 µm · up to 150 cm · Palletizing

A hood stretched over the pallet: five-side protection, no heat.

| Thickness | Lay-flat width | Roll weight |
|---|---|---|
| **100–160 µm** | **up to 150 cm** | **up to 600 kg** |

Polymers · Fertilizers · Compounding additives · Building materials



## Shrink hood film

KP-TDS-006

100–160 µm · up to 150 cm · Palletizing

Hood film that shrinks tight around the pallet with heat.

| Thickness | Lay-flat width | Roll weight |
|---|---|---|
| **100–160 µm** | **up to 150 cm** | **up to 500 kg** |

Polymers · Fertilizers · Compounding additives · Household products



## Pallet covers and top sheets

KP-TDS-009

20–150 µm · to your pallet · Palletizing

Keep rain and dust off the top of wrapped pallets.

| Thickness, top sheets | Thickness, covers | Size |
|---|---|---|
| **20–50 µm** | **40–150 µm** | **To your pallet footprint and load height** |

Bagged goods · Building materials · Beverages · Paper and cartons



## Collation shrink film

KP-TDS-007

25–90 µm · up to 150 cm · Bundling

Clear shrink film that bundles bottles and cans into multipacks.

| Thickness | Width | Reel weight |
|---|---|---|
| **25–90 µm** | **up to 150 cm** | **20–60 kg** |

Bottled water · Soft drinks · Juices · Milk



## Mattress cover film

KP-TDS-026

40–100 µm · up to 2.3 m wide · Mattress packing

Single-sheet PE film that keeps mattresses and foam clean and dry from the packing line to the showroom.

| Thickness | Sheet width | Supply |
|---|---|---|
| **40–100 µm** | **1,850–2,300 mm** | **Single-wound sheet on rolls** |

Mattresses · Foam blocks and toppers · Furniture parts

# Construction & infrastructure



## Construction film with recycled content

KP-TDS-010

100–200 µm · up to 5.6 m · Construction

Heavy polyethylene sheeting for building sites: damp-proof membranes under concrete slabs, vapor barriers in walls and roofs, and sheets for curing concrete and covering materials.

- **Recycled content.** Up to 100% recycled PE, with recycled content certified to EN 15343 through OK Recycled.
- **Wide sheets.** Up to 5.6 m wide, so fewer joins on large slabs.

| Thickness | Sheet width | Supply | Colors |
|---|---|---|---|
| **100–200 µm** | **up to 5.6 m** | **Folded on rolls** | **Black (recycled) or clear** |

Damp-proof membrane under slabs · Vapor barrier in walls and roofs · Concrete curing · Site cover sheets



## PE pipe sleeves for buried pipelines

KP-TDS-023

200 µm · up to 2.6 m flat · Pipelines

Seamless polyethylene tube slipped over ductile iron pipes as they are laid. It keeps corrosive soil and groundwater off the pipe and is a simple, low-cost way to protect buried water and sewage mains.

- **Corrosion protection.** Keeps corrosive soil and water away from the pipe surface.
- **Seamless tube.** Blown as a tube, so there is no seam to open up in the trench.

| Thickness | Lay-flat width |
|---|---|
| **200 (AWWA C105 / ISO 8180 minimum) µm** | **up to 2.6 m** |

| Form | Material |
|---|---|
| **Seamless tube, on rolls or in cut lengths** | **LDPE / LLDPE** |

Ductile iron water mains · Sewage pipelines · Cast iron pipes · Fittings and valves



## Warning tape and barrier tape

KP-TDS-024

50–150 µm · from 5 cm wide · Utilities and sites

Printed polyethylene tape in two types: warning tape, laid in the trench above buried cables and pipes so diggers know what lies below, and barrier tape, strung between posts to mark off excavations, work sites and hazards.

- **Clear warning.** Bright colors and repeated text that people see at once.
- **Your text and color.** Printed in-house with your wording, language and colors.

| Thickness | Width | Roll length | Material |
|---|---|---|---|
| **50–150 µm** | **from 50 mm** | **To order** | **LDPE** |

Electric cables · Gas pipelines · Water mains · Telecom and fiber lines · Excavations and work sites · Hazard and accident areas

# Technical films

Films that become part of your own product or process.





### Lamination & packaging films

Lamination film · Printed packaging film

### Process & protection films

ACP bonding film · Rubber release film · EVA batch inclusion bags · Surface protection film

## SECTORS WE SUPPLY WITH THESE FILMS

### Building materials

Sacks for powdered building materials, bonding film for aluminum composite panels, construction film for building sites, pipe sleeves and warning tape for buried pipes and cables, barrier tape for sites, and protection film for panels and sheet.

### Salt, sugar, flour and food

Sacks and liners for salt, sugar and flour, printed film for retail packs, collation shrink film for bottled and canned goods, and lamination film for food packs.

### Rubber & tires

Release film that protects calendered rubber sheets, and EVA batch inclusion bags that melt into the compound in the mixer.

### Pharmaceuticals

Lamination film with a sealing layer tuned for pharmaceutical packs.



# Lamination, packaging, process and protection films

## LAMINATION & PACKAGING FILMS



### Lamination film

KP-TDS-011

20–150 µm · 300–2,200 mm · Food and pharma packs

PE sealant film for laminated food and pharmaceutical packs.

| Thickness | Roll width | Sealing layer |
|---|---|---|
| **20–150 µm** | **300–2,200 mm** | **To order** |

Food packaging · Pharmaceutical packaging



### Printed PE film for retail packs

KP-TDS-012


40–120 µm · up to 80 cm · Retail packs

Printed PE film on rolls for automatic packing of sugar, rice, salt and frozen food.

| Thickness | Web width | Printing |
|---|---|---|
| **40–120 µm** | **up to 80 cm** | **Flexo, up to 6 colors** |

Sugar · Rice · Salt · Flour

## PROCESS & PROTECTION FILMS



### Bonding film for aluminum composite panels

KP-TDS-013

50–150 µm · Aluminum composite panels

PE adhesive film that bonds aluminum skins to the ACP core.

| Thickness | Roll width | Roll length |
|---|---|---|
| **50–150 µm** | **To order** | **To order** |

Aluminum composite panels (ACP) · Building facades · Interior cladding



### Rubber release film

KP-TDS-014

100–120 µm · 16–120 cm · Rubber processing

Protective liner for calendered rubber sheets.

| Thickness | Roll width | Roll length |
|---|---|---|
| **100–120 µm** | **16–120 cm** | **To order** |

Tires · Tire linings · Rubber sheeting · Tire repair patches



### EVA batch inclusion bags and film


KP-TDS-015

30–60 µm · 30–65 cm · Rubber compounding

Low-melt bags and film that go straight into the mixer.

| Thickness | Width | Material |
|---|---|---|
| **30–60 µm** | **30–65 cm** | **EVA copolymer, 6–18 % VA** |

Carbon black · Silica (white carbon black) · Titanium dioxide · Antioxidants and accelerators



### Adhesive-free surface protection film

KP-TDS-016

30–100 µm · up to 2.6 m · Surface protection

Self-adhesive film with the tack built in: no glue, nothing left on your surface.

| Thickness | Width | Colors |
|---|---|---|
| **30–100 µm** | **up to 2.6 m** | **Clear, blue, black/white** |

Acrylic (PMMA) sheet · Polycarbonate sheet · Glass · High-gloss furniture panels

PRODUCTS · 3 OF 3

# Agriculture & horticulture

Films and covers that help growers produce more, earlier and with less water.





### Crop films & covers

Mulch film · Low tunnel film · Grapevine cover film · Banana bunch covers

### Silage films

Silage stretch film

## SECTORS WE SUPPLY WITH THESE FILMS

### Agriculture & horticulture


Mulch, low tunnel and grapevine cover film, silage stretch film, banana bunch covers, and printed sacks for compost and potting soil.



AGRICULTURE & HORTICULTURE

# Crop films, covers and silage film

## CROP FILMS & COVERS



### Mulch film

KP-TDS-017

15–50 µm · up to 5.6 m · Field crops

Soil cover that saves water, blocks weeds and steadies soil temperature.

| Thickness | Width | Colors |
|---|---|---|
| **15–50 µm** | **up to 5.6 m** | **Black/silver or black/brown** |

Vegetable fields · Fruit crops · Soil solarization before sowing



### Low tunnel film

KP-TDS-018

30–60 µm · up to 5.6 m · Protected crops

Shelters crops from frost, wind and rain and speeds up ripening.

| Thickness | Width | Service life |
|---|---|---|
| **30–60 µm** | **up to 5.6 m** | **To your season** |

Vegetables · Fruit · Flowers



### Grapevine cover film

KP-TDS-019

60–150 µm · up to 5.6 m · Vineyards

Vineyard cover against frost, harvest rain and strong sun.

| Thickness | Width | Types |
|---|---|---|
| **60–150 µm** | **up to 5.6 m** | **NTh, ThC, ThD** |

Table-grape vineyards · Wine-grape vineyards



### Banana bunch covers (banana bags)

KP-TDS-021

15–50 µm · to your bunch size · Banana plantations

Perforated PE covers that protect banana bunches from insects, dust and sunburn.

| Thickness | Flat width | Length |
|---|---|---|
| **15–50 µm** | **70–90 cm** | **120–160 cm** |

Banana plantations · Plantain · Export fruit

## SILAGE FILMS



### Silage stretch film for bale wrapping

KP-TDS-020

25 µm · 500 or 750 mm · Bale wrapping

Five-layer stretch film that seals round and square bales airtight.

| Thickness | Width | Roll length |
|---|---|---|
| **25 µm** | **500 or 750 mm** | **1,500–1,800 m** |

Grass silage · Maize silage · Alfalfa and haylage · Round and square bales

INDUSTRIES

# Packaging films for the industries we know

From polymer plants to vineyards: what we supply, sector by sector. Our customers include major producers in the chemical and fertilizer industries.

### Polymers & petrochemicals

Polymer pellets leave the plant in 25 kg FFS bags on stretch-hooded pallets. We supply both, sized for high-speed lines.

**Heavy-duty FFS film · FIBC liners · Stretch hood film · Shrink hood film · Blown stretch film**

### Chemicals

FFS film and heavy-duty sacks for chemical powders, including UN-rated sacks for dangerous goods, and liners for big bags.

**Heavy-duty FFS film · Heavy-duty sacks · FIBC liners · Stretch hood film**

### Fertilizers

Fertilizer sacks must survive stacking, sun and handling. Heavy-duty FFS film and sacks, PE liners for woven sacks and big bags, and hoods or stretch wrap to protect the pallet.

**Heavy-duty FFS film · Heavy-duty sacks · PE liners for woven sacks · FIBC liners · Stretch hood film · Blown stretch film**

### Building materials

Sacks for powdered building materials, bonding film for aluminum composite panels, construction film for building sites, pipe sleeves and warning tape for buried pipes and cables, barrier tape for sites, and protection film for panels and sheet.

**Heavy-duty FFS film · Heavy-duty sacks · ACP bonding film · Construction film · Pipe sleeves · Warning & barrier tape · Surface protection film**

### Salt, sugar, flour and food

Sacks and liners for salt, sugar and flour, printed film for retail packs, collation shrink film for bottled and canned goods, and lamination film for food packs.

**Heavy-duty sacks · PE liners for woven sacks · Printed packaging film · Collation shrink film · Lamination film**

### Beverages & bottled water

Collation shrink film to bundle bottles and cans into multipacks, stretch wrap to secure the pallet, and top sheets to keep it clean.

**Collation shrink film · Blown stretch film · Pallet covers & top sheets**

### Rubber & tires

Release film that protects calendered rubber sheets, and EVA batch inclusion bags that melt into the compound in the mixer.

**Rubber release film · EVA batch inclusion bags**

### Pharmaceuticals

Lamination film with a sealing layer tuned for pharmaceutical packs.

**Lamination film**

### Agriculture & horticulture

Mulch, low tunnel and grapevine cover film, silage stretch film, banana bunch covers, and printed sacks for compost and potting soil.

**Mulch film · Low tunnel film · Grapevine cover film · Silage stretch film · Banana bunch covers · Compost & soil sacks**

### References

We supply manufacturers and growers in the sectors above, in Egypt and in the 15 export countries on page 4. Customer names, reference contacts and trial reports are shared on request, under a confidentiality agreement where the customer asks for one.

QUALITY

# Tested on every batch, released with a certificate

1. **Raw material check**

   Each resin lot is checked against its supplier certificate before it goes into production.

2. **In-line control**

   Thickness and width are monitored on the line while the film is made.

3. **Lab testing**

   Samples from every batch are tested for mechanical properties in our lab.

4. **Release with a CoA**

   Only approved batches are packed, labeled and released with a certificate of analysis.

5. **Traceability**

   Roll labels link each roll to its production batch, so any question can be traced back.

| Test | Method | Applies to |
|---|---|---|
| Thickness | ISO 4593 | All films |
| Tensile strength and elongation | ASTM D882 | All films |
| 1 % secant modulus | ASTM D882 | FFS film, sacks, hoods, lamination film |
| Creep resistance | In-house method | Stretch hood, stretch wrap |
| Puncture resistance | EN 14477 | Stretch wrap, silage film |
| Coefficient of friction | ISO 8295 | FFS film, lamination film |
| Dart drop impact | ASTM D1709 | Bags, hoods, collation shrink |
| Tear resistance (Elmendorf) | ASTM D1922 | All films |
| Free shrinkage | ASTM D2732 | Shrink hood, collation shrink |
| Heat seal strength | ASTM F88 | Bags, sacks, lamination film |
| Melt flow rate of incoming resin | ISO 1133 | All raw materials |

*One datasheet per product, in English, Spanish, French. Download at karawiapack.com/quality.*

## CERTIFICATES

| Certificate | Scope | Issued by | Valid to |
|---|---|---|---|
| **ISO 9001:2015** | Quality management system | AJA Egypt | 7 Nov 2028 |
| **FSSC 22000 v6** | Food safety for PE bags and films; listed with Egypt's National Food Safety Authority (NFSA) | PQS, Egypt | 4 Nov 2028 |
| **ISO 14001:2015** | Environmental management system | AJA Egypt | 7 Nov 2028 |
| **ISO 45001:2018** | Occupational health and safety management system | AJA Egypt | 7 Nov 2028 |
| **OK Recycled** | Recycled content to EN 15343 | TÜV Austria | 9 Dec 2026 |
| **EcoVadis Committed** | Sustainability rating, January 2026 | EcoVadis | — |

### REACH

Statement on substances of very high concern for EU buyers.

### Food contact

FSSC 22000 certified. Declarations of compliance for lamination film under EU 10/2011 and FDA rules on request.

### Dangerous goods

UN-rated FFS bags and heavy-duty sacks for the transport of dangerous goods.

HOW WE WORK

# How ordering works

1

### Request a quote

Tell us the product, size, quantity and destination.

2

### Quote in one business day

Price, lead time and Incoterm, with the datasheet for your spec.

3

### Order and proforma invoice

We confirm your purchase order and issue a proforma invoice.

4

### Planning and production

Your order is scheduled and produced on our lines.

5

### Quality check and packing

Approved batches are packed for export and released with a certificate of analysis.

6

### Shipping and tracking

Follow production and shipment in the customer portal, with all documents in one place.

## For a quote, send us

- The product, thickness and width you use today, or what you pack and how
- The machine it runs on: bagging line, wrapper, hooder, tunnel, laminator
- Printing, colour and recycled-content wishes
- Monthly volume and destination port

You get a reference number right away, and a quote with price, lead time and Incoterm within one business day. Samples before your first order.

Request a quote
karawiapack.com/request-a-quote

## WITH EVERY SHIPMENT

Commercial invoice · Packing list · Certificate of analysis · Certificate of origin / EUR.1 · Bill of lading

*Incoterms: EXW · FOB · CFR · CIF · DAP · DDP*

## CUSTOMER PORTAL

Already a customer? Follow every order online. Status from production to delivery, container and vessel details, and your certificates of analysis, invoices and bills of lading, all in one place.



Finished rolls leaving the Port Said plant. Every roll is labeled with its production batch.



TALK TO US

# Tell us what you pack. We reply within one business day.

Our export team answers in English, Spanish, French and Arabic. Prices, samples, lead times and shipping: the quickest route is a quote request on the website, or a WhatsApp message.


**Karawia Pack**
Block 54:59, Industrial Zone, Port Said, Egypt

+20 66 377 2601 · export sales
WhatsApp: +20 121 202 6661

contactus@karawiapack.com

karawiapack.com
Datasheets, certificates and quotes online, in English, Spanish and French


Products and datasheets
karawiapack.com

WhatsApp export sales
+20 121 202 6661

## Office hours

Sunday to Thursday, 8:00 to 16:00, Cairo time.

## Customer portal

Customers follow every order online: status from production to delivery, container and vessel details, and all documents in one place.

## Follow us

LinkedIn: linkedin.com/company/karawia-pack · Facebook: facebook.com/Karawiapack.KP